

REDLINE SOIL ROLLER



DRS260D T3

Technical Data

Masses

Operating mass	26,200 kg
Max. operating mass	26,300 kg
Module mass (front/rear)	16,770kg/9,430 kg

Compaction

Static linear load	790 N/cm
Nominal amplitude(high/low)	2.0 mm/1.3 mm
Vibration frequency(high/low)	29 Hz/31 Hz
Centrifugal force (high/low amplitude)	410 kN/320 kN

Engine



Manufacturer/Model	DCEC QSB5.9 C220-31
Type	6cyl, water cooled
Rated power	162kW @ 2,200 rpm
Electrical system	24V
Fuel tank capacity	300l

Traction

Speed range	0-4.5/0-12km/h
Theoretical max. gradeability	45 %

Dimensions

α . Steering angle	+/- 30°
A. Wheelbase	3,600 mm
W1. Width, front	2,400 mm
W2. Drum width	2,130 mm
W3. Width, rear	2,160 mm
H. Height, with cab	3,150 mm
D. Drum diameter	1,570 mm
K. Curb clearance	385 mm
K1. Ground clearance	400 mm
S. Drum shell thickness	56 mm
L. Length	7,190 mm
R2. Turning radius, outside	7,830 mm



We reserve right to change specifications without notice. Photos and illustrations do not always show standard versions of machines.

The above information is a general description only, all information is supplied without liability.